

BLANK PAGE



IS: 4830 - 1979 (Superseding IS: 5407 - 1969)

Indian Standard

SPECIFICATION FOR AMMONIUM PHOSPHATE SULPHATE, GRANULAR

(First Revision)

UDC 631:859:13 : 631:812 12



@ Copyright 1979

INDIAN STANDARDS INSTITUTION MANAK BHAVAN, 9 BAHADUR SHAH ZAFAR MARG NEW DELHI 110002

(Superseding IS: 5407 - 1969)

Indian Standard

SPECIFICATION FOR AMMONIUM PHOSPHATE SULPHATE, GRANULAR

(First Revision)

Fertilizers Sectional Committee, PCDC 20

Chairman

Representing

DR K. N. SYNGHAL

Ministry of Agriculture & Irrigation (Crops

Members

SHRI A. C. GARG (Alternate to

Dr K. N. Synghal)

AGRICULTURAL CHEMIST

SHRI BAHUBALI GULABCHAND

SHRI P. C. SAWHNEY (Alternate)

SHRI A. K. BHATTACHARYYA SHRI K. D. DAS (Alternate)

SHRI A. K. BOSE

SHRI M. S. GROVER (Alternate) SMT S. CHAKRAVORTY SHRI P. P. CHANDNA

SHRIS. CHANDRASEKHAR

DR R. K. S. CHAUHAN

SHRI A. W. COURT

SHRI C. MURUGESAN (Alternate) DR G. DEV

DR B. K. DHAR

SHRI K, R. AGGARWAL (Alternate)

Dr. A. B. Ghosh DR A. B. GHOSH

SHRI V. R. R. GUPTA DR T. S. VISWANATHAN (Alternate)

Division), New Delhi

Andhra Pradesh Agricultural University, Hyderabad

Indian Sugar Mills Association, Calcutta

National Test House, Calcutta

Directorate General of Technical Development,

New Delhi

Ministry of Chemicals & Fertilizer, New Delhi National Fertilizers Ltd, New Delhi

Planning Commission, New Delhi

Department of Agriculture, Government of Uttar Pradesh, Lucknow

Shaw Wallace & Co Ltd, Calcutta

Punjab Agricultural University, Ludhiana

Ministry of Agriculture & Irrigation (Fertilizer Division), New Delhi

Indian Agricultural Research Institute, New Delhi Indian Council of Agricultural Research, New Delhi

Madras Fertilizers Ltd. Madras

(Continued on page 2)

© Copyright 1979 INDIAN STANDARDS INSTITUTION

This publication is protected under the Indian Copyright Act (XIV of 1957) and reproduction in whole or in part by any means except with written permission of the publisher shall be deemed to be an infringement of copyright under the said Act.

18:4830 - 1979

(Continued from page 1)				
Members	Representing			
HEAD OF AGRICULTURAL CHEMISTRY & SOIL SCIENCE, MAHATMA PRULE KRISHI VIDYAPEETH	Agricultural Chemist to the Government of Maharashtra, Pune			
SHRI U. N. HUKKU	Indian Chemical Manufacturers' Association, Calcutta			
SHRI B. S. GILRA (Alternate)	E I D Dogge (India) Lad Mades			
SHRI JOHN K. JOHN SHRI N. S. PARTHASARATHY (E. I. D. Parry (India) Ltd, Madras Alternate)			
DR JOSEPH XAVIER	The Fertilizers & Chemicals Travancore Ltd, Udyogamandal			
SHRI T. NATARAJAN (Alternate SHRI S. D. KORPAL	() Indian Farmers Fertilizers Cooperative Ltd, New			
SHRI S. D. KORPAL	Delhi Carmers Terrinzers Cooperative Etc., New			
SHRI H. C. MALHOTBA (Altern				
SHRI M. P. KRISHNAIAH SHRI K. R. K. MURTHY (Alter	Coromandel Fertilizers Ltd, Visakhapatnam			
Dr S. Narayanan Potty	Rubber Board, Kottayam			
SHRI M. V. PUSHPADAS (Alter				
Dr N. S. RANDHAWA	Agricultural Department, Government of Punjab, Chandigarh			
SHRI A, K, RAO	D. C. M. Chemicals Works, New Delhi			
SHRI R. P. GUPTA (Alternate) SHRI SATYA NAND	The Fertilizer Association of India, New Delhi			
SHRI B. K. JAIN (Alternate)				
SHRI S. SUBBIAH	Directorate General of Supplies & Disposals, New Delhi			
SHRI N. G. S. IYER (Alternate)				
SHRI M. THEYUNNI DB M. S. VAIDYA SHRI P. V. S. RAO (Alternate)	Hindustan Steel Ltd, Rourkela The Dharmasi Morarji Chemical Co Ltd, Bombay			
DR S. VERMA	The Fertilizer (Planning & Development) of India Ltd, Sindri			
DR K. M. VERMA (Alternate) DR J. S. P. YADAV	Central Soil Salinity Research Institute, Karnal			
DR I. P. ABROL (Alternate) SHRI M. S. SAKENA, Director (P & C)	Director General, ISI (Ex-officio Member)			
•	Secretary			
	DR R, A, KHAN			
Assistar	nt Director (P&C), ISI			
Fertilizers and Allied	Products Subcommittee, PCDC 20:1			
Convener				
Dr K. N. SYNGHAL	Ministry of Agriculture & Irrigation (Crops Division), New Delhi			
Members	••			
Shri A. C. Garo (Alternate to Dr K. N. Synghal)				
SHRI M. R. AGARWAL	The Fertilizer Corporation of India Ltd, Trombay Unit, Bombay			
SHRI P. G. DIVE (Alternate)	•			
	(Continued on page 10)			

IS: 4830 - 1979

(Continued from page 2)

Members	Representing
SHRI A. W. COURT	Shaw Wallace & Co Ltd, Madras
SHRI M. S. RAMACHARI (Alter	
DR B, K. DHAR	Ministry of Agriculture & Irrigation (Fertilizer Division), New Delhi
Shri K. R. Aggarwal (Alteri	nate)
SHRI M. C. GARG	Indian Explosives Ltd, Kanpur
SHRI R. NARAYANAN (Alternat	<i>6</i>)
Dr A. B. Ghosh	Indian Agricultural Research Institute, New Delhi
SHRI B. S. GILRA	Delhi Cloth & General Mills Co Ltd, New Delhi
SHRI M, S. GROVER	Directorate General of Technical Development, New Delhi
SHRI V. G. NAYANAR (Alternat	e)
SHRI V. R. R. GUPTA	Madras Fertilizers Ltd. Madras
DR T. S. VISWANATHAN (Alle	
SHRI K. L. LUTHRA	Pyrites Phosphate & Chemicals Ltd, New Delhi
SHRIK, R. K. MURTHY	Coromandel Fertilizers Ltd, Hyderabad
SHRI CH. S. PRASAD (Alternate	
DR R, NATABAJAN	Southern Petro-Chemical Industries Corporation (SPIC), Madras
SHRI R. S. RAMAN (Alternate)	, ,,
SHRI N. S. PARTHASARATHY	E. I. D. Parry (India) Ltd, Madras
SHRI A. G. KRIPAL SINGH (Al	
SHRI K. D. PURI	Indian Sugar Mills Association, New Delhi
SHRI P. T. RANGACHARI	Neyveli Lignite Corporation, Neyveli
SHRI P. B. SRIBANGAN (Altern	
SHRI V. A. SANGHANI	Gujarat State Fertilizers Co, Vadodara
SHRI M. D. PATEL (Alternate)	oujarar orange recorded to the control of the contr
SHRI SATYA NAND	The Fertilizer Association of India, New Delhi
SHRI B. K. JAIN (Alternate)	, , , , , , , , , , , , , , , , , , , ,
DR U. C. SHUKLA	Haryana Agricultural University, Hissar
DR M. L. CHOUDHARY (Altern	
SHRI D. V. SINGH	Government of Madhya Pradesh, Bhopal
SHRI L. R. TALWAR	Indian Farmers Fertilizers Co-operative Ltd, New Delhi
SHRI S. JACOB (Alternate)	
SHRI ABBAHAM THOMAS	The Fertilizers & Chemicals Travancore Ltd, P.O. Udyogamandal
Shri R. Sankaran Nair (All	
DR S. VERMA	The Fertilizer (Planning & Development) India Ltd, Sindri
	•

AMENDMENT NO. 1 DECEMBER 2000 TO

IS 4830:1979 SPECIFICATION FOR AMMONIUM PHOSPHATE SULPHATE, GRANULAR

(First Revision)

(Page 4, clause 3.5) — Insert the following clause after 3.5:

'3.6 Tolerance — The tolerance limit as indicated shall be applicable:

i) Tolerance for the combined nutrient content, Max 2 percent of total;

ii) Nutrient level Tolerance (percent by mass)

15.0 or less 0.5 unit

16.0 to 20.0 0.6 unit'

[Page 5, Table 1, Sl No. (v), col 6]—Substitute '8.5' for '8.0'.

(PCD 20)

AMENDMENT NO. 2 MAY 2012 TO IS 4830: 1979 SPECIFICATION FOR AMMONIUM PHOSPHATE SULPHATE, GRANULAR

(First Revision)

[<i>Page 5, clause</i> 4.3 (g)] — Su	bstitute 'Gross and net quantity in kg.' for
'Gross and net mass in kg.'.	
(FAD 7)	
	Reprography Unit, BIS, New Delhi, India

Indian Standard

SPECIFICATION FOR AMMONIUM PHOSPHATE SULPHATE, GRANULAR

(First Revision)

O. FOREWORD

- **0.1** This Indian Standard (First Revision) was adopted by the Indian Standards Institution on 18 January 1979, after the draft finalized by the Fertilizers Sectional Committee had been approved by the Petroleum, Coal and Related Products Division Council.
- 0.2 Two specifications for ammonium phosphate sulphate were published to cover the 16-20-0 Grade (IS:4830-1968*) and 19:5-19:5-0 Grade (IS:5407-1969†). The Sectional Committee responsible for the preparation of these standards has decided to amalgamate them and also to cover two more grades, namely, 20-20-0 and 18-9-0. This standard is the amalgamated revision of IS:4830-1968 and IS:5407-1969. With the publication of this amalgamated revision, IS:5407-1969 is being withdrawn.
- 0.3 In the preparation of this standard, consideration has been given to the need for maintaining co-ordination with the specification of the Fertilizer (Control) Order, 1957 and the Essential Commodities Act, 1955 of Government of India. However, this standard is subject to the provisions imposed under this Order wherever applicable.
- **0.4** For particle size, the use of 1S Sieves conforming to IS: 460-1962‡ is prescribed. Where IS Sieves are not available, other standard sieves as judged from aperture size may be used.
- 0.5 For the purpose of deciding whether a particular requirement of this standard is complied with, the final value, observed or calculated, expressing the result of a test or analysis, shall be rounded off in accordance with IS: 2-1960§. The number of significant places retained in the rounded off value should be the same as that of the specified value in this standard.

^{*}Specification for ammonium phosphate sulphate (16-20-0).

[†]Specification for ammonium phosphate sulphate, granular (19.5-19.5-0).

[#]Specification for test sieves (revised).

[§]Rules for rounding off numerical values (revised).

IS: 4830 - 1979

1. SCOPE

1.1 This standard prescribes the requirements and the methods of sampling and test for ammonium phosphate sulphate, granular.

2. GRADES

- 2.1 There shall be four grades of the material, depending on the content(s) of nitrogen, phosphorus and potash (N-P-K), namely:
 - a) Grade 16-20-0,
 - b) Grade 19.5-19.5-0,
 - c) Grade 20-20-0, and
 - d) Grade 18-9-0.

3. REQUIREMENTS

- **3.1 Description** The material shall be in the form of free-flowing granules.
- 3.2 Particle Size The particle size of the material shall be such that 90 percent of the material lies between 4-mm IS Sieve and 1-mm IS Sieve, and not more than 5 percent by mass shall pass through 1-mm IS Sieve.
- 3.3 Resistance to Breakdown of Granules A single granule of the material taken from the size range 2 8 mm to 3 35 mm shall resist a load of 1.0 kg, minimum, when tested as prescribed in Appendix Λ .
- 3.4 Lump Formation The material shall pass the test as prescribed in Appendix A.
- 3.5 The material shall also comply with the requirements given in Table 1.

4. PACKING AND MARKING

- 4.1 Packing It is essential that the packing should be capable of providing adequate protection to the contents from absorption of moisture by the use of inner plastics liner. Further the packing should be physically strong enough to withstand the normal stresses of handling in stacking, transport and storage.
- 4.2 The material shall be packed in 50-kg packings or as agreed to between the purchaser and the supplier. Each package shall be securely closed.

TABLE 1 REQUIREMENTS FOR AMMONIUM PHOSPHATE SULPHATE, GRANULAR

(Clause 3.5)

St No.	CHARACTERISTIC	REQUIREMENT FOR GRADE				METHOD OF TEST, REF TO PART
		16-20-0	19·5- 19·5-0	20-20-0	18-9-0	AND CL No. IN IS: 6092-1971*
(1)	(2)	(3)	(4)	(5)	(6)	(7)
i)	Moisture, percent by mass, Max	1.0	1.0	1.0	1.0	5.1 of Part VI
ii)	Ammoniacal nitrogen, percent by mass, Min	16.0	19 5	18.0	18.0	12 of Part II
iii)	Urea nitrogen, percent by mass, Max	******		2.0		15 of Part II
iv)	Neutral ammonium citrate soluble phosphate (as P ₂ O ₅), percent by mass, Min	20 0	19:5	20.0	9.0	9 of Part III
v)	Water soluble phosphate (as P ₂ O ₅), percent by mass, Min	19.5	17.5	17:0	8 0	7 of Part III

*Methods of sampling and tests for fertilizers:

Part II Determination of nitrogen

Part III Determination of phosphorus

Part VI Determination of impurities

4.3 Marking — Each package shall bear legibly and indelibly the following information:

- a) Name of the fertilizer;
- b) Name of the manufacturer and his trade mark, if any;
- c) Ammoniacal nitrogen, percent by mass;
- d) Urea nitrogen, percent by mass;
- e) Neutral ammonium citrate soluble phosphate (as P₂O₅), percent by mass;
- f) Water soluble phosphate (as P2O5), percent by mass; and
- g) Gross and net mass in kg.

4.3.1 The packages may also be marked with the ISI Certification Mark.

Note — The use of the ISI Certification Mark is governed by the provisions of the Indian Standards Institution (Certification Marks) Act and the Rules and Regulations made thereunder, The ISI Mark on products covered by an Indian Standard conveys the assurance that they have been produced to comply with the requirements of that standard under a well-defined system of inspection, testing and quality control which is devised and supervised by ISI and operated by the producer. ISI marked products are also continuously checked by ISI for conformity to that standard as a further safeguard. Details of conditions under which a licence for the use of the ISI Certification Mark may be granted to manufacturers or processors, may be obtained from the Indian Standards Institution.

5. HANDLING AND STORAGE

5.1 Factors to be borne in view in the handling and storage of the material shall be as prescribed in IS: 5985-1971*.

6. SAMPLING

- 6.1 Representative samples of the material shall be drawn as prescribed in IS: 6092 (Part I)-1971†.
- 6.2 Number of Tests Tests for all the requirements given under 3 shall be conducted on the composite test sample.
- **6.3 Criteria for Conformity** For declaring the conformity of the lot to the requirements of this specification, the test results on the composite sample shall satisfy all the requirements specified in **3**.

APPENDIX A

(Clauses 3.3 and 3.4)

METHODS OF TEST FOR AMMONIUM PHOSPHATE SULPHATE, GRANULAR

A-1. DETERMINATION OF RESISTANCE TO BREAKDOWN OF GRANULES

A-1.0 General — Two methods are described here. The methods are used to determine comparative hardness of granules and applicable to granulated or pelleted forms of solid fertilizers. Any of the two methods may be used.

A-1.1 Method A

A-1.1.1 Apparatus

A-1.1.1.1 Hardness tester - See Fig. 1.

A-1.1.2 Procedure

- A-1.1.2.1 Collect a portion of the sample lying in the size range 2 80 mm and 3 35 mm. From the portion obtained pick out at random 25 granules.
- A-1.1.2.2 Test each granule successively. Place each granule under the ratchet and slowly screw it down until the particle crushes. Note the crush point on the scale indicator and record the load required to crush it.

^{*}Code of practice for handling and storage of bagged fertilizers.

[†]Methods of sampling and test for fertilizers: Part I Sampling,




Fig. 1 HARDNESS TESTER, METHOD A

A-1.1.3 Calculation — Calculate in kg the mean of the 25 observations and report the results.

A-1.2 Method B

A-1.2.1 Apparatus — The apparatus, made of mild steel is shown in Fig. 2. It consists of two parts, namely a frame and a plunger. The frame is made of three circular plates and three rods fitted with nut and bolt. These rods are fitted vertically on the base plate and the other two plates are fixed tightly in position. Circular holes are made at the centre in these two plates as shown in Fig. 2 through which the plunger rod can pass through smoothly. The plunger weighing 150 g consists of a circular plate at the top (for keeping additional mass) and a narrow stem 'of diameter 4 mm' at the base which can rest either on the base plate or on the fertilizer granule.




Fig. 2 Hardness Tester, Method B

A-1.2.2 Procedure

- A-1.2.2.1 Collect a portion of the sample lying in the size range 2.80 mm to 3.35 mm. From the portion obtained pick out at random 25 granules.
- A-1.2.2. Test each granule successively. Place each granule at the centre of the base plate and keep the stem of the plunger just on its top. Put additional mass on the top of the plunger incrementally and note the total mass of the plunger itself plus the additional mass at which the ganule crushes.
- A-1.2.3 Calculation Calculate in kg the mean of the 25 observations and report the result.

A-2. TEST FOR LUMP FORMATION

- A-2.1 Procedure Store one 50-kg packing of the material under a mass equivalent to twelve 50-kg sample bags of the material for 7 days. Then drop the sample bag from a height of 1.5 metres on to hard concrete floor. Empty out the contents of the bag and determine the quantity of the material larger than 12 mm size with the help of a standard sieve.
- A-2.2 The material shall be taken to have passed the test if not more than 5 percent of the material is larger than 12 mm in size.

INTERNATIONAL SYSTEM OF UNITS (SI UNITS)

Base Units

QUANTITY	Unit	Бұмно г
Length	métre	tn
Mass	kilogram	kg
Time	second	
Electric current	ampere	Α
Thermodynamic temperature	kelvin	к
Luminous intensity	(andela	cđ
Amount of substance	mole	mol

Supplementary Units

QUANTITY	Unit	Symbol
Plane angle	radian	rad
Solid angle	steradian	\$f

Derived Units

QUANTITY	Unit	SYMBOL	DEFINITION
Force	newton	N	1 N - 1 kg,113/s*
Energy	joule	J	1 - 1 N.m
Power	wati	W	1 W - 1 J/2
Flux	weber	W b	1 Wh - 1 V.
Flux density	tesla	T	1 T - 1 Wb/m3
Frequency	her12	Hz	1 Hz = 1 c/s (x-1)
Electric conductance	stemens	S	1 S = 1 A/V
Electromotive force	volt	V	1 V and 1 W/A
Pressure, stress	pascal	Pa	$1 P_{a} - 1 N/m^{s}$

INDIAN STANDARDS INSTITUTION

Manak Bhaven, 9 Bahadur Shah Zafar Marg, NEW DELHI 110002

Telephones : 26 60 21, 27 01 31	Telegrams: Manaksanstha			
Regional Offices .	1	elephone		
Western : Novelty Chambers, Grant Road Eastern : 5 Chowringhee Approach Southern : C I. T Campus, Adyar	BOMBAY 400007 CALCUTTA 700072 MADRAS 600020	37 97 29 23-08 02 41 24 42		
Branch Offices:				
'Pushpak', Nurmohamed Shxikh Marg, Khanpur 'F' Block, Unity Bldg, Narasimharaja Square Gengotri Complex, Bhadbhada Road, T.T. Nagar 22E Kalpana Area Ahimsa Bldg, SCO 82-83, Sector 17C 5-8-58/57 L. N. Gupta Marg D-277 Todarmal Marg, Banipark 117/418 B Sarvodaya Nagar B.C.I. Bldg (3rd Floer), Gandhi Maidan East	BANGALORE 560002 BHOPAL 462003 BHUBANESHWAR 75101 CHANDIGARH 160017 HYDERABAD 500001 JAIPUR 302006 KANPUR 208005 PATNA 800004	2 83 20 22 10 83 6 98 32 6 12 72 6 36 58		
Hantex Bidg (2nd Floor). Rly Station Road	TRIVANDRUM 695001	32 27		